

Amaze 401

C-Arm Compatible Electric OT Table

8 Functions



SS-304



NURSE PANEL



ZERO POSITION



MEMORY FUNCTION



High Density PU Mattress



SPECIAL FEATURES

- Eccentric pillar
- Detachable, Head, Leg & Pelvic section
- In built Kidney Bridge.
- Five Sectional Radio – Transparent Top.
- Base & Cover made of attractive.
- Easy to clean SS 304.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.

OPTIONAL FEATURES

- Split leg section.
- Nurse Panel.
- Manual Override.
- Standby Battery Back-up with recharging circuit.

TECHNICAL DATA

Length of Table	1900 mm
Width of Table Top	542 mm
Minimum Height (without Mattress)	Min. 750 mm
Maximum Height (without Mattress)	1000 mm
Trendelenburg	25°
Reverse Trendelenburg	25°
Lateral Tilt	+20°
Back Section	+60°
Head Section	+60°
Leg Section	0°-90°
Floor Locking System	Central Locking System

ELECTRIC MOVEMENT

- Height, Trendelenburg, Lateral Tilt, Flex-Reflex.



Jamex Meditech

AN ISO 9001 : 2015 Co., with ISO 13485 & CE Mark.

Manufacture of Medical Equipments & Centralized Medical Gas Pipeline Systems

Customized Medical Trolleys with Hospital Furniture

139, Bhakrahat Road, Haspukur, Thakurpukur, Joka, Kolkata – 700 104.

Mob : 98301 31604, E-Mail : jamexmeditech@gmail.com

Web : www.jamexmeditech.co.in



Authorized Distributor

ELECTRA 4001

C-Arm Compatible Electric OT Table

8 Functions



MEMORY FUNCTION



ZERO POSITION



High Density PU Mattress



SS-304



SPECIAL FEATURES

- Eccentric pillar.
- Detachable, head, leg & Pelvic section.
- In built kidney bridge.
- Five Sectional Radio – Translucent Top.
- Base & Cover made of attractive, easy to clean SS 304.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.

OPTIONAL FEATURES

- Splitlegsection.
- Center Pillar.
- Manual Override.
- Standby Battery Back-up with recharging circuit.
- Height Range Customization


TECHNICAL DATA

Length of Table	1900 mm
Width of Table Top	542 mm
Minimum Height (without Mattress)	Min. 750 mm
Maximum Height (without Mattress)	1000 mm
Trendelenburg	25°
Reverse Trendelenburg	25°
Lateral Tilt	+20°
Back Section	+60°
Head Section	+60°
Leg Section	0°-90°
Floor Locking System	Manual
Top Slide Range	250 mm


ELECTRIC MOVEMENT

Height, Trendelenburg, Lateral Tilt, Flex-Reflex, Zero position.


TABLE POSITIONS




Height Adjustment - Up




Height Adjustment - Down




Trendelenburg




Reverse Trendelenburg




Flex Position




Rflex Position




Side Tilt Right



Side Tilt Left



Top Slide Forward



Top Slide Reverse

Orthopedic Attachment



Jamex Meditech

Ortho Attachment allows the table to be used for the lower extremity procedures. Available at competitive prices our ortho attachment is purely made of stainless steel which resist corrosion.

Features

- The Orthopaedic Attachment BJS NS can be used with any operating table.
- In addition, a pelvic support plate is supported on top of the frame and is formed with an asymmetrical construction.
- Stirring Instruments allows flexion/raising of legs & stirring/string ball joints locked from foot end.
- Two traction devices on sliding spot with ball joint allowing flexions & rotations of foot with traction shoe with metallic sole.
- Padded orthopaedic knee crutches/provides support to the legs of the patient.



Accessories

- Tibia Nailing
- Femur Nailing
- Hip Prosthesis
- Stein men Pin Holder
- Perineal Post for Adult & Child

 **Jamex Meditech**
AN ISO 9001 : 2015 Co., with ISO 13485 & CE Mark.

Manufacture of Medical Equipments ★ Centralized Medical Gas Pipeline Systems
Customized Medical Trolleys with Hospital Furniture
139, Bhakrahata Road, Haspukur, Thakurpukur, Joka, Kolkata – 700 104.
Mob : 98301 31604, E-Mail : jamexmeditech@gmail.com
Web : www.jamexmeditech.co.in



Authorized Distributor